

CONTENTS

Introduction

Ovens

10 Cooktops

Microwaves

Rangehoods


Dishwashers

Refrigeration

24 Laundry

Technical information











539.60.631 60CM 4 FUNCTION OVEN

Features

90 Litre gross cavity 80 Litre net cavity Mechanical minute timer Triple glazed cool touch door Side wire racks: 6 levels Interior light

Functions

Grill
Maxi grill
Grill with fan
Convection

Included accessories

1x Baking tray with wire grid insert 2x Wire shelves

Technical specifications

Product dimensions: 595 x 595 x 565mm (HxWxD) - 29.1kgs Max current & rated voltage: 2100W, 220-240V~

Electrical installation: 10A 3-pin plug

Packed dimensions: 620 x 640 x 650mm (HxWxD) - 30.7kgs

Barcode: 9329184096977



539.60.651 60CM 8 FUNCTION OVEN

Features

90 Litre gross cavity 80 Litre net cavity Digital programmable timer Triple glazed cool touch door Side wire racks: 6 levels Interior light A set of telescopic runners

Functions

Fan Defrost
Bake Grill
Fan bake Grill with fan
Convection 3D Cooking

Included accessories

1x Baking tray with wire grid insert 2x Wire shelves

Technical specifications

Product dimensions: $595 \times 595 \times 565$ mm (HxWxD) - 26.5kgs Max current & rated voltage: 2100W, 220-240V~

Electrical installation: 15A 3-pin plug

Packed dimensions: 620 x 640 x 650mm (HxWxD) - 27.7kgs

Barcode: 9329184097004



539.60.661 60CM 13 FUNCTION PYROLYTIC OVEN

Features

65 Litre gross cavity
60 Litre net cavity
Pyrolytic cleaning
Full touch control panel
Quad glazed cool touch door
Side wire racks: 4 levels
Interior light
A set of telescopic runners

Functions

Bake Maxi grill with fan

Fan bake Convection with grill

Convection Top element

3D Cooking Bottom element

Grill Bottom with convection and fan

Maxi grill Top with convection and fan

Grill with fan

Included accessories

1x Baking tray with wire grid insert 2x Wire shelves

Technical specifications

Product dimensions: $595 \times 595 \times 565 \text{mm}$ (HxWxD) - 26.5 kgs

Max current & rated voltage: 2100W, 220-240V~ Electrical installation: Hardwired only

Packed dimensions: 620 x 640 x 650mm (HxWxD) - 27.7kgs





539.60.691 60CM 5 FUNCTION LEFT SIDE OPENING OVEN

Features

67 Litre gross cavity
63 Litre net cavity
Touch control programmable timer
Triple glazed cool touch door
Side wire racks: 5 levels
Easy grip knobs
Interior light
A set of telescopic runners
Left hand door hinging

Functions

Light Grill Grill with fan Fan bake Defrost

Included accessories

1x Baking tray with wire grid insert 2x Wire shelves

Technical specifications

Product dimensions: 595 x 595 x 565mm (HxWxD) - 32.5kgs Max current & rated voltage: 2100W, 220-240V~ Electrical installation: 15A 3-pin plug

Packed dimensions: 647 x 658 x 660mm (HxWxD) - 37kgs

Barcode: 9329184096991



539.60.641 60CM 5 FUNCTION RIGHT SIDE OPENING OVEN

Features

67 Litre gross cavity
63 Litre net cavity
Touch control programmable timer
Triple glazed cool touch door
Side wire racks: 5 levels
Easy grip knobs
Interior light
A set of telescopic runners
Right hand door hinging

Functions

Light Grill Grill with fan Fan bake Defrost

Included accessories

1x Baking tray with wire grid insert 2x Wire shelves

Technical specifications

Product dimensions: 595 x 595 x 565mm (HxWxD) - 32.5kgs Max current & rated voltage: 2100W, 220-240V~

Electrical installation: 15A 3-pin plug

Packed dimensions: 647 x 658 x 660mm (HxWxD) - 37kgs

Barcode: 9329184096984



539.60.672 90CM 9 FUNCTION OVEN

Features

129 Litre gross cavity
101 Litre net cavity
Digital programmable timer
Triple glazed cool touch door
Side wire racks: 4 levels
Interior light
A set of telescopic runners

Functions

Light Defrost
Fan Grill
Bake Grill with fan
Fan bake 3D Cooking
Convection

Included accessories

1x Baking tray with wire grid insert 2x Wire shelves

Technical specifications

Product dimensions: 595 x 896 x 565mm (HxWxD) - 50.8kgs Max current & rated voltage: 2100W, 220-240V~

wiax current & rated voltage. 2 100 vv, 220-240 v

Electrical installation: Hardwired only

Packed dimensions: 930 x 665 x 675mm (HxWxD) - 55.5kgs

OVEN FEATURES



Defrost

Ambient air temperature is distributed inside the oven to defrost food faster without affecting the food quality.



Grill/ Maxi Grill

Selecting this function switches on the upper heating element for the direct heat over smaller fillets of food. Can be used with temperatures of 60° - 260° C.



Grill with Fan

The upper heating element and fan work together. The air is heated by the grill element and distributed evenly by the fan.



Maxi Grill with Fan

Selecting this function switches on the upper heating element for direct heat over larger and thicker fillets of food. Can be used with temperatures of 60° - 260° C.



Convection

This is the traditional cooking method with only the lower and upper heating elements operating together. Ideal for roasting joints, biscuits and crisping food.



Convection with Grill

The fan and circular heating element operate together in conjunction with the lower element. The hot air is distributed evenly inside the oven whilst browning the base. Ideal for cooking pizzas.



Bottom Element

This function is ideal for cooking food from the bottom. Such as warming food or dishes that require long and slow cooking, such as a casserole.



Bottom Element with Fan

Selecting this function switches on the lower heating element and fan. Ideal for warming up pre-cooked meals and cooking pizza.



Top Element

This function is ideal for cooking food from the top. Such as broiling meats and pre-heating.



Top Element with Fan

Selecting this function switches on the top heating element and fan. Ideal for cooking meats such as chicken and red meats.



Fan Bake

Both the fan and the circular heating element operate together. The hot air is adjustable between 60° - 260° C and is evenly distributed inside the oven. Ideal for cooking several dishes of food at the same time without affecting the taste or smell.



3D Cooking

Both the top and bottom elements are on with the fan assisting to move the air around the oven. It produces ideal results for cooking on one level such as biscuits, cakes and canapés.



<u>Pyrolytic</u>

This is the function for self cleaning mode. Here the oven is automatically cleaned by burning off cooking residues at high temperature (approx 475° C).



Lignt

This light is always on with every selected function.



Easy Steam Clean

Just pour half a litre of tap water into a baking tray, place it into the oven and set the temperature to 80° C. The steam generated acts to soften the grime on the oven walls. After 30 minutes simply wipe down with a soft cloth.













539.40.001 60CM GAS COOKTOP

Features

4 Cooking zones Italian sabaf burners Flame failure safety device (FFD) Automatic under-knob ignition Stainless steel cooking surface Enamel trivets Front controls

Burners

1x Big burner - 2.9kW 2x Middle burner - 1.7kW 1x Small burner - 0.95kW

Included accessories

LPG coversion kit Gas regulator

Technical specifications

Product dimensions: 100 x 580 x 510mm (HxWxD) - 8.6kgs

Cut-out dimensions: 490 x 560mm (WxD) Electrical installation: 10A 3-pin plug

Packed dimensions: 160 x 635 x 615mm (HxWxD) - 10.8kgs

Barcode: 9329184097035

539.40.011 60CM GAS COOKTOP WITH WOK BURNER

Features

4 Cooking zones Italian sabaf burners Flame failure safety device (FFD) Automatic under-knob ignition Stainless steel cooking surface Cast iron trivets Front controls

Burners

1x Wok burner - 3.5kW 1x Big burner - 2.9kW 1x Middle burner - 1.7kW 1x Small burner - 0.95kW

Included accessories

LPG coversion kit Gas regulator

Technical specifications

Product dimensions: 100 x 580 x 510mm (HxWxD) - 8.6kgs

Cut-out dimensions: 490 x 560mm (WxD) Electrical installation: 10A 3-pin plug

Packed dimensions: 160 x 635 x 615mm (HxWxD) - 10.8kgs

Barcode: 9329184097042

539.40.022 90CM GAS COOKTOP WITH WOK BURNER

Features

5 Cooking zones Italian sabaf burners Flame failure safety device (FFD) Automatic under-knob ignition Stainless steel cooking surface Cast iron trivets Front controls

Burners

1x Wok burner - 3.5kW 1x Big burner - 2.9kW 2x Middle burner - 1.7kW 1x Small burner - 0.95kW

Included accessories

LPG coversion kit Gas regulator

Technical specifications

Product dimensions: 103.5 x 860 x 510mm (HxWxD) - 11.3kgs

Cut-out dimensions: 490 x 810mm (WxD) Electrical installation: 10A 3-pin plug

Packed dimensions: 160 x 900 x 615mm (HxWxD) - 16.4kgs





539.40.040 30CM CFRAMIC COOKTOP

Features

2 Cooking zones 9 Stage power levels Front touch controls Durable Schott Ceran ceramic glass Residual heat indicators Programmable timer Child lock

Cooking zones

1x Ø180mm Zone - 1.8kW 1x Ø145mm Zone - 1.2kW

Technical specifications

Product dimensions: 50 x 290 x 520mm (HxWxD) - 4.2kgs Cut-out dimensions: 270 x 490mm (WxD) Electrical installation: Cable supplied without plug Packed dimensions: 133 x 326 x 578mm (HxWxD) - 5.1kgs

Barcode: 9329184097080



539.40.051 60CM CFRAMIC COOKTOP

Features

4 Cooking zones 9 Stage power levels Front touch controls Durable Schott Ceran ceramic glass Residual heat indicators Child lock

Cooking zones

2x Ø180mm Zone - 1.8kW 2x Ø145mm Zone - 1.2kW

Technical specifications

Cut-out dimensions: 560 x 490mm (WxD) Electrical installation: Cable supplied without plug Packed dimensions: 133 x 620 x 578mm (HxWxD) - 8.8kgs

Product dimensions: 62 x 588 x 517mm (HxWxD) - 7.7kgs

Barcode: 9329184097097



539.40.062 90CM CFRAMIC COOKTOP

Features 5 Cooking zones 2 Extended zones 9 Stage power levels Durable Schott Ceran ceramic glass Touch control operation Residual heat indicators Programmable timer Child lock

Cooking zones

1x Ø180mm Zone - 1.8kW 2x Ø145mm Zone - 1.2kW 2x Ø140mm Zone - 1.2kW

Extended zones

1x Ø120 x 180mm - 0.7kW / 1.7kW 1x Ø140 x 250mm - 1.0kW / 1.8kW

Technical specifications

Product dimensions: 58 x 860 x 520mm (HxWxD) - 11.2kgs

Cut-out dimensions: 810 x 490mm (WxD) Electrical installation: Cable supplied without plug Packed dimensions: 140 x 930 x 580m (HxWxD) - 14.6kgs



539.40.071 60CM INDUCTION COOKTOP

Features

4 Cooking zones

9 Stage power levels

Front touch controls

Eurokera glass cooking surface

Residual heat indicators

Pan sensor

Auto safety off

Programmable timer

Child lock

Cooking zones

2x Ø180mm Zone - 1.8kW 2x Ø145mm Zone - 1.2kW

Technical specifications

Product dimensions: 56 x 590 x 520mm (HxWxD) - 7.4kgs

Cut-out dimensions: 560 x 490mm (WxD)

Electrical installation: Cable supplied without plug

Packed dimensions: 142 x 626 x 581mm (HxWxD) - 8.8kgs

Barcode: 9329184097127



539.40.082 90CM INDUCTION COOKTOP

Features

5 Cooking zones

9 Stage power levels

Front touch controls

Eurokera glass cooking surface

Residual heat indicators

Pan sensor

Auto safety off

Programmable timer

Child lock

Cooking zones

1x Ø250mm Zone* - 2.8kW / 3.5kW

2x Ø200mm Zone* - 2.1kW / 2.5kW

2x Ø160mm Zone* - 1.4kW / 1.8kW

*Boost to all zones

Technical specifications

Product dimensions: 56 x 890 x 520mm (HxWxD) - 10.3kgs

Cut-out dimensions: 860 x 490mm (WxD)

Electrical installation: Cable supplied without plug

Packed dimensions: 152 x 941 x 583mm (HxWxD) - 12kgs







25L BUILT-IN MICROWAVE

539.30.030

Features

25 Litre capacity Frameless black glass White LED display with touch controls Defrost by weight and time Stainless steel cavity 10 Pre-set food types Child lock Timer 900W Microwave power

Technical specifications

1100W Grill power 2400W Convection power

Product dimensions: 388 x 594 x 465mm (HxWxD) - 21kgs

Cut-out size: 560+8 x 362+3mm (WxD) Electrical installation: 10A 3-pin plug

Packed dimensions: 655 x 516 x 583mm (HxWxD) - 24kgs







539.80.331 60CM SLIDE-OUT RANGEHOOD

500 m³/hr extraction 1x LED 3W 3500K 3 Speed settings Push button controls Aluminium grease filters 62 dBA Max noise level

Optional accessories

Charcoal filter (532.84.789) (Only required when re-circulating)

Technical specifications

Product dimensions: 180 x 598 x 300mm (HxWxD) - 6.8kgs

Duct outlet size: 120mm

Electrical installation: 10A 3-pin plug

Packed dimensions: 240 x 640 x 360mm (HxWxD) - 7.5kgs

Barcode: 9329184097189



539.80.332 90CM SLIDE-OUT RANGEHOOD

Features

500 m³/hr extraction 1x LED 3W 3500K 3 Speed settings Push button controls Aluminium grease filters 62 dBA Max noise level

Optional accessories

Charcoal filter (532.84.789) (Only required when re-circulating)

Technical specifications

Product dimensions: 180 x 898 x 300mm (HxWxD) - 8.4kgs

Duct outlet size: 120mm

Electrical installation: 10A 3-pin plug

Packed dimensions: 240 x 940 x 350mm (HxWxD) - 9.5kgs

Barcode: 9329184097196



539.80.341 60CM BUILT-IN RANGEHOOD

Features

520 m³/hr extraction 2x LED 3W 2700K 3 Speed settings Push pull knob controls Aluminium grease filters 68 dBA Max noise level

Optional accessories

Charcoal filter (532.84.789) (Only required when re-circulating)

Technical specifications

Product dimensions: 177 x 535 x 300mm (HxWxD) - 4.8kgs

Duct outlet size: 120mm

Electrical installation: 10A 3-pin plug

Packed dimensions: 240 x 630 x 350mm (HxWxD) - 5.7kgs







520 m³/hr extraction 2x LED 3W 2700K 3 Speed settings Push pull knob controls Aluminium grease filters 68 dBA Max noise level

Optional accessories

Charcoal filter (532.84.789) (Only required when re-circulating)

Technical specifications

Product dimensions: 177 x 735 x 300mm (HxWxD) - 5.5 kgs

Duct outlet size: 120mm

Electrical installation: 10A 3-pin plug

Packed dimensions: 240 x 790 x 330mm (HxWxD) - 7kgs

Barcode: 9329184097219



539.80.321 60CM CANOPY RANGEHOOD

Features

520 m³/hr extraction 2x LED 3W 2700K 3 Speed settings Slider controls Aluminium grease filters 68 dBA Max noise level

Optional accessories

Charcoal filter (532.84.788) (Only required when re-circulating)

Technical specifications

Product dimensions: 542 x 600 x 450mm (HxWxD) - 7.6kgs

Duct outlet size: 150mm

Electrical installation: 10A 3-pin plug

Packed dimensions: 290 x 650 x 500mm (HxWxD) - 8.6kgs

Barcode: 9329184097158



539.80.322 90CM CANOPY RANGEHOOD

Features

520 m³/hr extraction 2x LED 3W 2700K 3 Speed settings Slider controls Aluminium grease filters 68 dBA Max noise level

Optional accessories

Charcoal filter (532.84.788) (Only required when re-circulating)

Technical specifications

Product dimensions: 864 x 900 x 450mm (HxWxD) - 8.6kgs

Duct outlet size: 150mm

Electrical installation: 10A 3-pin plug

Packed dimensions: 290 x 940 x 500mm (HxWxD) - 9.9kgs







539.20.111 60CM FREESTANDING DISHWASHER

15 Place settings 6 Wash programs Stainless steel finish Third cutlery drawer 1-24 Hour delay start Electronic controls with LED display Height adjustable upper baskets

Half load functions Extra drying program Child lock 49 dBA Max noise level MEPS/WELS: 3.5/4.5 Stars Stainless steel micro filter Collapsible plate racks

Wash Programs

Intensive Heavy Eco 90 Min Glass Rapid

Technical specifications

Product dimensions: 845 x 598 x 600mm (HxWxD) - 40.5kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: 890 x 645 x 645mm (HxWxD) - 46kgs

Barcode: 9329184097233



539.20.121 60CM INTEGRATED DISHWASHER

Features

14 Place settings Half load functions 8 Wash programs Third cutlery drawer 3/6/9 Hour delay start Electronic controls Height adjustable upper baskets Collapsible plate racks

Extra drying program Child lock 49 dBA Max noise level MEPS/WELS: 3.5/4.5 Stars Stainless steel micro filter

Wash Programs

Intensive Heavy Eco 90 Min Glass Rapid Soak

Auto

Technical specifications

Product dimensions: 815-865 x 598 x 550mm (HxWxD) - 35.5kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: 872 x 635 x 635mm (HxWxD) - 42kgs

Barcode: 9329184097240



539.20.131 COMPACT DISHWASHER

Features

6 Place settings 6 Wash programs 1-24 Hour delay start Electronic controls 49 dBA Max noise level MEPS/WELS: 2.5/3.5 Stars

Wash Programs

Intensive Glass Rapid Heavy 90 Min Normal

Optional accessory

Stainless steel decorative door panel (532.84.790)



Technical specifications

Product dimensions: 452 x 550 x 518mm (HxWxD) - 19.5kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: 605 x 590 x 505mm (HxWxD) - 23.6kgs







539.10.120 145L BEVERAGE FRIDGE

145 Litre capacity
Storage for up to 178 cans
Single zone: 0-22°C
Stainless steel and glass finish
Touch control LED display
White LED interior light
Double glazed door
Long stainless steel bar handle
Height adjustable feet

Included accessories

3x Wire shelves

Technical specifications

Product dimensions: 820-880 x 595 x 575mm (HxWxD) - 41kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: 660 x 625 x 880mm (HxWxD) - 45.5kgs

Barcode: 9349260002067



539.10.020 145L WINE CHILLLER

Features

145 Litre capacity
Storage for up to 46 bottles
Dual zone: 4-12°C / 12-22°C
Stainless steel and glass finish
Touch control LED display
White LED interior light
Double glazed door
Long stainless steel bar handle
Height adjustable feet

Included accessories

5x Wooden shelves

Technical specifications

Product dimensions: 820-880 x 595 x 575mm (HxWxD) - 42kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: $660 \times 625 \times 880 \text{mm}$ (HxWxD) - 46.5 kgs

Barcode: 9349260002074



539.10.060 241L INTEGRATED FRIDGE / FREEZER

Features

241 Litre total capacity: 182L / 59L Heavy duty door-on-door hinge Easy fit integrated design Easy slide temperature control Effective ventilation Frost free freezer 41 dBA Max moise level MEPS: 2 Stars

Technical specifications

Product dimensions: 1785 x 540 x 545mm (HxWxD) - 56.5kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: 1880 x 580 x 580mm (HxWxD) - 62kgs







539.90.550 7KG VENTED DRYER

7kg capacity
4 Drying programs
Electronic control panel
Anti-crease function
Delayed start feature
Child lock
Freestanding or wall mountable
2 Star MEPS rating

Drying programs

Cotton extra Cotton standard Synthetics extra Synthetics standard

Included accessories

Wall mounting kit
Reversible control panel decal

Technical specifications

Product dimensions: 840 x 595 x 555mm (HxWxD) - 35kgs

Electrical installation: 10A 3-pin plug

Packed dimensions: 890 x 665 x 575mm (HxWxD) - 38kgs

Barcode: 9329184097288



539.90.030 7.5KG FRONT LOAD WASHING MACHINE

Features

7.5kg capacity
23 Wash programs
Electronic controls
Pre-wash function
Extra-rinse function
3/6/9 Hour delay start
Stainless steel drum
Child lock
MEPS/WELS: 2.5/4.5 Stars

Washing programs

Synthetics standard Cotton standard Daily wash 15 min Cotton ECO 40° Daily wash 30 min Synthetics 40° Synthetics 60° Cotton ECO 60° Daily wash 45 min Cotton 20° Ends in 3h Rinse & spin Cotton 30° Ends in 6h Drain only Spin only Cotton 40° Ends in 9h Cotton 60° Delicate Self clean Cotton 90° Delicate 30°

Technical specifications


Product dimensions: 850 x 595 x 565mm (HxWxD) - 68kgs Electrical installation: 10A 3-pin plug

Packed dimensions: 910 x 682 x 595mm (HxWxD) - 72kgs






OVEN DIMENSIONS




90CM OVEN 539.60.672






COOKTOP DIMENSIONS


60CM GAS COOKTOP 539.40.001 539.10.011




90CM GAS COOKTOP 539.40.022




30CM CERAMIC COOKTOP 539.40.040




60CM CERAMIC COOKTOP 539.40.051




90CM CERAMIC COOKTOP 539.40.062



60CM INDUCTION COOKTOP 539.40.071




90CM INDUCTION COOKTOP 539.40.082




RANGEHOOD DIMENSIONS


60CM CANOPY RANGEHOOD 539.80.321




90CM CANOPY RANGEHOOD 539.80.322




60CM SLIDE-OUT RANGEHOOD 539.80.331




90CM SLIDE-OUT RANGEHOOD 539.80.332



60CM BUILT-IN RANGEHOOD 539.80.341




90CM BUILT-IN RANGEHOOD 539.80.342






REFRIGERATION DIMENSIONS


145L FRIDGE 539.10.120 539.10.020




241L INTEGRATED FRIDGE/FREEZER



DISHWASHER & WASHER / DRYER DIMENSIONS



7.5KG FRONT LOAD





732.04.066 HÄFELE LIFESTYLE APPLIANCES - 03.22

Häfele Australia Pty. Ltd. | 8 Monterey Road | Dandenong | Victoria 3175

Phone: 1300 659 728 | Fax: (03) 9212 2001 | Email: info@hafele.com.au | www.hafele.com.au | www.hafeleappliances.com.au

Häfele New Zealand Ltd. | 16 Accent Drive | East Tamaki | Auckland 2013

Phone: 0800 442 335 | Email: info@hafele.co.nz | www.hafele.co.nz

HÄFELE LOCATIONS:

Australia | MELBOURNE | SYDNEY | NEWCASTLE | BRISBANE | ADELAIDE | LAUNCESTON | HOBART | PERTH New Zealand | AUCKLAND | WELLINGTON | CHRISTCHURCH

