

GEZE

HÄFELE



open &  
close

THE NEW ECdrive T2.

to your  
needs

# Welcome to the new ECdrive T2

The new ECdrive T2. New design, more functionality wherever you want to use it from.

- Public Buildings
- Shopping Centres
- Hotels & Restaurants
- Airports & Railway stations
- Banks
- Education Institutions
- Special Care Sectors



**ECdrive, the most frequently installed product of the GEZE Sliding Door Portfolio, is getting better, stronger and more sustainable.**





OPEN FOR YOUR NEEDS.

## The benefits of the new ECdrive T2 for you.

ECdrive has always been the 'all-rounder' of the GEZE product portfolio. And now it's even better, because we have added new features to reinforce its uncompromising reliability. The new ECdrive T2 can be used in a wide variety of installation situations.

- 
- Improved design by reduced cover height from 120 mm to 100 mm.
  - Easier alignment thanks to elongated holes in the tracks.
  - Easier cable laying thanks to integrated cable routing.
  - Leaf weight increased from 120 kg to 140 kg with new reinforced track.
  - Maximum leaf size increased by almost 20%.
  - Easier maintenance thanks to optional service interface.
  - More efficient installation thanks to pre-drilled tracks at 400 mm intervals.





# GEZE ECdrive T2 Automatic Door System

- Slim design with a cover height of just 100 mm for greater creative freedom
- With double roller carriage up to 140 kg leaf weight
- Efficient installation thanks to pre-drilled tracks and elongated holes
- Integrated cable guides make it easier to lay cables
- Can be networked via CAN bus and integrated into building technology management systems
- Independent error recognition and recording
- Freely configurable inputs and outputs for different functions
- Self-cleaning roller carriage reduces maintenance effort and costs
- Various mechanical and electrical locks are optionally available
- Service interface for simple maintenance

---

## A classic linear sliding door system




> Max. door weight (kg):	140
> Max. door height (mm):	3,000
> Speed (m/s):	Opening: Max. 0.7 Closing: Max. 0.5
> Finish:	Silver anodised
> Specifications:	Fully assembled Up to 6,500 mm operator length


Packing: 1 set



FRAMED GEZE ECdrive T2



FRAMELESS GEZE ECdrive T2





# HÄFELE

GEZE ECDRIVE T2 - 2022

**Häfele Australia Pty. Ltd.** | 8 Monterey Road | Dandenong | Victoria 3175  
**Phone:** 1300 659 728 | **Fax:** (03) 9212 2001 | **Email:** [info@hafele.com.au](mailto:info@hafele.com.au) | [www.hafele.com.au](http://www.hafele.com.au)

**Häfele New Zealand Ltd.** | 16 Accent Drive | East Tamaki | Auckland 2013  
**Phone:** 0800 442 335 | **Email:** [info@hafele.co.nz](mailto:info@hafele.co.nz) | [www.hafele.co.nz](http://www.hafele.co.nz)

#### HÄFELE LOCATIONS:

**Australia** | MELBOURNE | SYDNEY | NEWCASTLE | BRISBANE | ADELAIDE | LAUNCESTON | HOBART | PERTH  
**New Zealand** | AUCKLAND | WELLINGTON | CHRISTCHURCH

