

- | | |
|---|--|
| 1. Typenbezeichnung | Türschließer |
| 2. Typen -, oder Seriennummer | siehe Anlage 1 |
| 3. Vorgesehener Verwendungszweck | Türschließmittel mit kontrolliertem Schließablauf |
| 4. Name des Herstellers | Häfele SE & Co KG
Adolf-Häfele-Str. 1
D-72202 Nagold |
| 5. System zur Bewertung und Überprüfung der Leistungsbeständigkeit des Bauprodukts gemäß Anhang V | System 1 |
| 6. Die notifizierende Überwachungsstelle 0757 hat die Erstinspektion des Werkes und der werkseigenen Produktionskontrolle sowie die laufende Überwachung, Bewertung und Evaluierung der werkseigenen Produktionskontrolle nach dem System 1 vorgenommen und eine Bescheinigung der Konformität der werkseigenen Produktionskontrolle ausgestellt. | |

Zertifikat 0757-CPR-231-7046426-1-4

- | | |
|-------------------------|----------------|
| 7. Technische Bewertung | nicht relevant |
| 8. Erklärte Leistung | |

Wesentliche Merkmale	Leistung	Harmonisierte technische Spezifikation
Selbstschließend	Erfüllt	EN 1154:1996/ A1_2002
Dauerfunktionstüchtigkeit	Erfüllt Klasse 8 – 500.0000 Zyklen	
Gefährliche Substanzen	Erfüllt Die Materialien des Türschließers enthalten weder gefährliche Stoffe, die in den zutreffenden Europäischen Werkstoffnormen und nationalen Bestimmungen des betreffenden Mitgliedslandes festgelegten Höchstwerte überschreiten, noch geben Sie diese ab.	

Klassifizierung: 4 8 2/5 1 1 3

Nagold, 02.01.2024

Rico Marquardt, Ltg. Produkt- und Category Management

ppa. 

- 1. Type designation Door closer
- 2. Model or serial number see Annex 1
- 3. Intended purpose of use Door closer with a controlled closing-sequence
- 4. Manufacturer Häfele SE & Co KG
Adolf-Häfele-Str. 1
D-72202 Nagold
- 5. System or systems for evaluation and reviewing of consistent performance of the construction product as per Annex B: System 1
- 6. The notifying authority, monitoring authority **0757** has carried out the initial inspection of the plant and factory production control and the continuous surveillance, assessment and evaluation of factory production control in accordance with **System 1** and issued a certificate of conformity for factory production control.

No. 0757-CPR-231-7046426-1-4

- 7. Technical Assessment not relevant
- 8. Declared Performance

Essential characteristics	Performance	Harmonised technical specification
Self-closing ability	Pass	EN 1154:1996 A1:2002
Durability	Pass Class 8 – 500.0000 test cycles	
Control of dangerous substances	Pass The materials in the But Hinge do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any regulations	

Class: 4 8 2/5 1 1 3

Nagold, 2024_01_02

Rico Marquardt, Head of Product- und Category Management

ppa. _____

931.84.829	Tuerschliesser DCL 51 silb.	Door closer DCL 51 silvc.
931.84.820	Tuerschliesser DCL 51 Edst.mat	Door closer DCL 51 stst.matt
931.84.828	Tuerschliesser DCL 51 Ms.pol.	Door closer DCL 51 brass pol.
931.84.821	Tuerschliesser DCL 51 Edst.pol	Door closer DCL 51 stst.pol.
931.84.823	Tuerschliesser DCL 51 schwarz matt	Door closer DCL 51 black matt